



Your Automotive Specialty Tool Source

LOCK TECHNOLOGY, INC.

552 S. Washington Street, Suite 108 • Naperville, Illinois 60540

Toll Free 1-800-421-7241 • FAX 630-983-5967

WEB: www.ltitools.com • E-mail: ltitools@ltitools.com

**LTI TOOLS HAS AN AWARDS AND ROYALTY PROGRAM FOR YOUR NEW HAND TOOL IDEAS.
WE OFFER YOU INTERNATIONAL DISTRIBUTION.
IF YOU HAVE A NEW PRODUCT IDEA, PLEASE CONTACT US.**

LT770 Universal Brake Piston Press

The LT770 Universal Brake Piston Press is for pressing in dual brake pistons and single brake pistons. Universal application for most cars, light and heavy trucks. Single piece operation - eliminates nuts and bolts to assemble and disassemble on brake assemblies.



in use -
single piston



in use -
dual piston

LT 4350 4 Piece Twist Socket Lugnut Removal System

Removes DAMAGED/ROUNDED 3/4" & 19mm, 13/16", and 21mm lugnuts (LT4200A). Removes the majority of OEM and aftermarket LOCKING LUGNUTS (LT400-25). Removes DAMAGED/ROUNDED 17mm lugnuts and OEM and aftermarket LOCKING LUGNUTS (LT400-17). These sockets are DUAL SIDED. Works with a breaker bar or other related tool. Includes an extractor punch (LT-400-7).

NEW PRODUCT



LT830 Universal Hub Shocker

Removes all frozen hubs instantly. Universal fit mounts to all hubs. Mounts to two studs using lugnuts in seconds. Strike the 2" square metal tube with a heavy hammer and see how fast hub "pops" out. Will not damage axle. Patent Pending.

NEW PRODUCT



in use



LT950 Tire Valve Stem Cap & Core Removal Tool

The LT950 Tire Valve Stem Cap and Core Removal Tool easily removes and replaces tire valve stem caps and valve stem cores for all tire and wheel applications. This dual purpose stainless steel pen shaped tool is small enough to conveniently store in your pocket.



LT-760 Brake Shoe Adjuster Pin Installer

The LT-760 quickly and safely presses all 3 sizes of brake shoe adjuster lever posts into the brake shoes (using an air hammer). The narrow tapered end of the tool will easily clear the bent over webbing found on most brake shoes. A real time saver.



LT4875, LT4875A, LT4876 & LT4876A Lugnut Removal Flip Sockets

These Lugnut Removal Flip Sockets are for the easy removal of lugnuts. The thin wall flip sockets allow for removal of lugnuts on specialty wheels and tight tolerances.



Individual Lugnut Flip Sockets:

LT4875	3/4", 19mm; 13/16"
LT4875A	3/4", 19mm; 13/16", THIN WALLED
LT4876	19mm; 21mm
LT4876A	19mm; 21mm, THIN WALLED

LT1230 5 Pc. 1/2" Drive Dual Sided Socket Lugnut Removal Kit w/Punch

Use these dedicated sockets every time you remove damaged/distorted lugnuts with steel caps. These lugnuts become distorted due to improper leverage using the factory supplied tire iron. Removing over-torqued lugnuts during extreme cold/heat also distorts lugnut cap. Dual flip 1/2" drive impact socket design. Comes in a custom vinyl case. Includes 4 lugnut removal tools and an Extractor Punch. Patent pending.

LT1240	21/21.5mm Chrome Cap Buster
LT1250	18.5/19.5mm Chrome Cap Buster
LT1260	22/22.5mm Chrome Cap Buster
LT1270	1 1/16"/27.5mm Chrome Cap Buster
LT-400-7	Extractor Punch



Works on damaged/distorted lugnuts with steel caps



LT1240 1/2" Drive Dual Sided Socket Lugnut Remover Tool 21/21.5mm Chrome Cap Buster

Dual flip 1/2" drive impact design. Removes missing and distorted lugnuts with chrome caps. Works on Chrysler/Dodge 21mm chrome cap lugnuts. Use this dedicated socket every time you remove 21mm lugnuts. Patent pending.

LT1260 1/2" Drive Dual Sided Socket Lugnut Remover Tool 22/22.5mm Chrome Cap Buster

Dual flip 1/2" drive impact design. Removes missing and distorted lugnuts with chrome caps. Works on all Chrysler/Dodge 22mm chrome cap lugnuts. Use this dedicated socket every time you remove 22mm lugnuts. Patent pending.

LT1250 1/2" Drive Dual Sided Socket Lugnut Remover Tool 18.5/19.5mm Chrome Cap Buster

Dual flip 1/2" drive impact design. Removes missing and distorted lugnuts with chrome caps. Works on 19mm chrome caps found on many GM & Chrysler vehicles. Use this dedicated socket every time you remove 19mm lugnuts. Patent pending.

LT1270 1/2" Drive Dual Sided Socket Lugnut Remover Tool 1 1/16"/27.5mm Chrome Cap Buster

Dual flip 1/2" drive impact design. Removes missing and distorted lugnuts with chrome caps. Works on Range Rover/Land Rover chrome cap lugnuts. Use this dedicated socket every time you remove 1 1/16" lugnuts. Patent pending.

LT880 Truck Brake Spring Installer

The LT880 is a must have tool for 3/4 ton and heavier trucks. The rotating pivot point adjustable head allows the mechanic to clear obstacles around hub assemblies in rear brake systems. Designed with a T-handle to provide the mechanic maximum torque when compressing and twisting stiff springs which hold down pins protruding through rear of brake backing plate.



**LTI TOOLS HAS AN AWARDS AND ROYALTY PROGRAM FOR YOUR NEW HAND TOOL IDEAS.
WE OFFER YOU INTERNATIONAL DISTRIBUTION.
IF YOU HAVE A NEW PRODUCT IDEA, PLEASE CONTACT US.**

LT2510, LT-2520 & LT-2530 E-Z Loader magazine Lugnut Sockets

The E-Z Loader is a magazine loading impact socket for multiple lugnut removal. The E-Z Loader removes up to 5 lugnuts quickly at the wheel work site and allows the mechanic to release all of the lugnuts at once. No more rolling or lost lugnuts and wasted motion. The E-Z Loader also adjusts type 9, 12, and 16 cubic inch air chambers that are equipped with 1/2" 20 threaded rod and 3/4" nut. A real time saver. A "MUST" tool for tire shops, brake shops, and locations with high volume wheel removal.

Available in 3 sizes:
 LT2510 3/4", 19mm
 LT-2520 21mm
 LT-2530 13/16"



LT930 Light Duty Tire Caddy

The LT930 Light Duty Tire Caddy easily slides under any unweighted 14" - 19" wheel. Lifts tire directly onto hub. Steel pins in tubing keep tire from sliding off. Steel wheel roller bearings for easy transport of tire. The handle stores inside tubular frame for compact storage. A real time saver.



LT465 12MM & 14MM Wheel Hanger Guides

Wheel Hanger Guides slide into wheel lugnut holes without using threads aiding technicians during wheel mounting. Saves time - no threads, no turning wheel guides to install and remove. Works on Mercedes, Audi, BMW, Mini Cooper, SAAB and Volvo vehicles. Wheel Hanger Guides support wheel/tire so technician can easily thread lugnut bolts into brake rotor. Each kit includes one 12MM and one 14MM Wheel Hanger Guide. Easily slides in and out of rotor holes without using threads. Must have for removing wheels. Helps prevent scratches on expensive wheels. Made of durable bulletproof polycarbonate plastic. Purchase a LT465 kit for the price of one steel hanger pin.



LT-4000 Deluxe Hubcap & Wheel Lock Removal Kit

The LT-4000 safely removes and replaces GM, Ford, and Chrysler wire wheel hubcap locks on 1978-1997 vehicles. This kit also removes factory and most after market mag wheel locking nut locks. NOW INCLUDES the LT4200A Dual Sided Twist Socket Lugnut Remover. Includes instructions and is packaged in a custom carrying case.

NOW INCLUDES
THE LT4200A



LT-750 Brake Rotor Clamp

The LT-750 secures the rotor to prevent it from being knocked around and allowing rust and dirt to fall between the hub and rotor. Each 3 inch jaw is specially designed to firmly hold the brake rotor on the hub while brake pads are being installed to the caliper and the slides are being serviced. The center of the clamp jaws are formed down towards each other like teeth. The outsides are still pointing straight out the front of the clamp. The teeth bite into the threads of the lugnut stud on the hub while the outside points hold the rotor firmly in place.



NEW PRODUCT

TORQUE SOCKETS

Wheel Torque Master Sockets will torque wheel nuts to the correct torque the first time, every time, on most makes and models of Foreign and Domestic cars, light trucks, SUV's and vans. Torque Master Sockets are easy to use and are color coded for quick identification. Using a torque socket avoids over-torquing wheel nuts and prevents major wheel and brake damage. These tools are designed for use with a 1/2" drive impact wrench.



Torque Master Sockets used with your 1/2" drive impact wrench



BROWN	LT1500A	13/16" - 100 Ft/Lbs., 135 N.M.
LEMON GREEN	LT1500AA	22mm - 80 Ft/Lbs., 110 N.M.
ORANGE	LT1500B	21mm - 80 Ft/Lbs., 110 N.M.
TURQUOISE	LT1500BB	21mm - 150 Ft/Lbs., 200 N.M.
GRAY	LT1500C	3/4"/19mm - 100 Ft/Lbs., 135 N.M.
PINK	LT1500CC	17mm - 90 Ft/Lbs., 120 N.M.
BLACK	LT1500D	21mm - 60 Ft/Lbs., 80 N.M.
SKY BLUE	LT1500DD	21mm - 100 Ft/Lbs., 135 N.M.
BLUE	LT1500E	3/4"/19mm - 80 Ft/Lbs., 110 N.M.
SAFETY PURPLE	LT1500EE	22mm - 140 Ft/Lbs., 190 N.M.
YELLOW	LT1500F	3/4"/19mm - 65 Ft/Lbs., 90 N.M.
RED	LT1500G	17mm - 80 Ft/Lbs., 110 N.M.
BEIGE	LT1500GG	1 1/16" - 80 Ft/Lbs., 110 N.M.
EVERGREEN	LT1500H	17mm - 45 Ft/Lbs., 75 N.M.
LIGHT ORANGE	LT1500HH	1 1/16" - 100 Ft/Lbs., 135 N.M.
WHITE	LT1500I	7/8" - 120 Ft/Lbs., 160 N.M.
TAN	LT1500J	1" - 140 Ft/Lbs., 190 N.M.
PURPLE	LT1500K	17mm - 110 Ft/Lbs., 150 N.M.
APPLE GREEN	LT1500L	1" - 170 Ft/Lbs., 230 N.M.
BUBBLE GUM	LT1500LL	22mm - 175 Ft/Lbs., 235 N.M.
GOLD	LT1500NN	3/4"/19mm - 90 Ft/Lbs., 120 N.M.
NEON GREEN	LT1500OO	13/16" - 75 Ft/Lbs., 100 N.M.
AQUA	LT1500Q	7/8" - 140 Ft/Lbs., 190 N.M.
SALMON	LT1500QQ	22mm - 95 Ft/Lbs., 130 N.M.
LIGHT BLUE	LT1500S	3/4"/19mm - 55 Ft/Lbs., 75 N.M.
SILVER	LT1500SS	21mm - 110 Ft/Lbs., 150 N.M.
LIME GREEN	LT1500TT	15/16" - 135 Ft/Lbs., 175 N.M.
DARK PURPLE	LT1500UU	14mm - 75 Ft/Lbs., 100 N.M.
MAROON	LT1500V	1-1/16" - 140 Ft/Lbs., 190 N.M.
COPPER	LT1500VV	22mm - 110 Ft/Lbs., 150 N.M.
VANILLA	LT1500XX	13/16" - 160 Ft/Lbs., 220 N.M.
NAVY BLUE	LT1500Y	7/8" - 100 Ft/Lbs., 135 N.M.
COOL GRAY	LT1500Z	7/8" - 65 Ft/Lbs., 80 N.M.

LT-1500-LWC Wheel Torque Socket Laminated Wall Chart

The 28" x 25" Laminated Wheel Torque Chart is a must for any high volume tire or brake shop using Torque Master sockets. Easily allows many mechanics to quickly verify wheel torque values from a distance. Fully updated every year and includes 32 color coded Torque Master Socket specs and the thousands of vehicles that they work on.



LT-1500WC Wheel Torque Socket Color Wall Chart

The 13" x 13" Wheel Torque Socket Color Chart is a must for any high volume tire or brake shop using Wheel Torque Master Sockets. Small size of chart allows you to store chart in a tool box or at a service bay. Fully updated every year and includes 32 color coded Wheel Torque Master Socket specs and the thousands of vehicles that they work on.

LT-1400WC Wheel Torque Extension Color Wall Chart

The 13" x 13" Wheel Torque Extension Color Chart is a must for any high volume tire or brake shop using Wheel Torque Extensions. Small size of chart allows you to store chart in a tool box or at a service bay. Fully updated every year and includes 7 color coded Wheel Torque Extension specs and the thousands of vehicles that they work on.

LT1500 8 Piece Wheel Torque Master Kit

The LT1500 is an 8 piece Wheel Torque Master Kit. These tools are designed for use with a ½" drive impact wrench and come in a custom molded case with a yearly updated color wall chart (LT-1500WC). **NOW MORE VERSATILE.** (Includes sockets A, B, C, E, F, G, I & Q)



LT1510 10 Piece Wheel Torque Master Kit

The LT1510 is a 10 piece Wheel Torque Master Kit. These tools are designed for use with a ½" drive impact wrench and come in a custom molded case with a yearly updated color wall chart (LT-1500WC). **NOW MORE VERSATILE.** (Includes sockets A, B, BB, C, E, F, G, I, K & Q)



LT1550 4 Piece Domestic Wheel Torque Master Kit

The LT1550 is a 4 piece Domestic Wheel Torque Master Kit. These tools are designed for use with a ½" drive impact wrench and come in a custom molded case with a yearly updated color wall chart (LT-1500WC). (Includes sockets A, C, E, & I)



LT1560 4 Piece Light Truck & SUV Wheel Torque Master Kit

The LT1560 is a 4 piece SUV, Light Truck & Van Wheel Torque Master Kit. Sockets are deep well forged to accommodate light trucks, SUV's and vans. These tools are designed for use with a ½" impact wrench and come in a custom molded case with a yearly updated color wall chart (LT-1500WC). (Includes sockets BB, I, Y & Q)



LT1590 & LT1593 9 Piece Wheel Torque Master Kits

The LT1590 & LT1593 are 9 piece Wheel Torque Master Kits. These tools are designed for use with a ½" drive impact wrench. These kits come with a yearly updated color wall chart (LT-1500WC) and are available with a custom rack (LT1590) or with a custom case (LT1593). **NOW MORE VERSATILE.** (Includes sockets A, B, BB, C, E, F, G, I & Q)



LT1595 12 Piece Wheel Torque Master Kit

The LT1595 is a 12 piece Wheel Torque Master Kit. This is our most complete kit available today. These tools are designed for use with a ½" drive impact wrench and come in a wall mountable carrying case with a yearly updated color wall chart (LT-1500WC). **NOW MORE VERSATILE.** (Includes sockets A, B, BB, C, DD, E, F, G, I, K, Q & TT)



TORQUE EXTENSIONS

The 1/2" Drive Wheel Torque Extensions will torque wheel nuts on most foreign and domestic cars and light trucks to the correct torque, the first time, every time, with your thin wall or regular lugnut sockets. Since more vehicles every year have tight tolerances around the wheel nuts, this kit will help eliminate damage to wheels when torquing the wheel nuts.



Torque Extensions used with your 1/2" drive impact wrench and lugnut sockets



NEW

ORANGE	LT1400BB	- 160 Ft/Lbs., 215 N.M.
GRAY	LT1400C	- 100 Ft/Lbs., 135 N.M.
BLUE	LT1400E	- 80 Ft/Lbs., 110 N.M.
YELLOW	LT1400F	- 65 Ft/Lbs., 90 N.M.
WHITE	LT1400I	- 120 Ft/Lbs., 160 N.M.
PURPLE	LT1400K	- 110 Ft/Lbs., 150 N.M.
AQUA	LT1400Q	- 140 Ft/Lbs., 190 N.M.

LT1450 1/2" Drive 4 Piece Wheel Torque Extension Kit

The 4 piece extension kit does the work of 9 regular torque sockets. The 4 piece kit includes extensions C, E, F & I and comes in a custom molded carrying case with a yearly updated color wall chart (LT-1400WC).



LT1460 & LT1465 1/2" Drive Wheel Torque Extension Kits

The 5 piece extension kit does the work of 13 regular torque sockets. The 5 piece kit includes extensions C, E, F, I & Q, a yearly updated color wall chart (LT-1400WC) and is available with a custom molded carrying case (LT1460) or a rack (LT1465).



LT1470 1/2" Drive 7 Piece Wheel Torque Extension Kit

The 7 piece extension kit does the work of 16 regular torque sockets. The 7 piece kit includes extensions BB, C, E, F, I, K & Q and comes in a custom molded carrying case with a yearly updated color wall chart (LT-1400WC).



LT1490 1/2" Drive 9 Piece Extension & Thin Wall Socket Kit

The LT1490 is a 9 piece 1/2" Drive Torque Extension & Thin Wall Socket Set. These tools are designed for use with a 1/2" drive impact wrench and come in a custom molded carrying case with an updated yearly wall chart (LT-1400WC). Includes the 4 extensions and the 5 thin wall sockets listed below.

EXTENSIONS

LT1400F	Yellow	65 Ft/Lbs., 90 N.N.
LT1400E	Blue	80 Ft/Lbs., 110 N.M.
LT1400C	Gray	100 Ft/Lbs., 135 N.M.
LT1400I	White	120 Ft/Lbs., 160 N.M.

THIN WALL SOCKETS

LT1490A	17mm thin wall socket
LT1490B	13/16" thin wall socket
LT1490C	19mm thin wall socket
LT1490D	21mm thin wall socket
LT1490E	7/8" this wall socket



LT1600B, M, N, O, P, R, S, T, U, W & Y Heavy Duty 3/4" & 1" Drive Wheel Truck Extensions

These heavy duty truck extensions are designed to work with a 3/4" or 1" drive impact gun and your lugnut sockets on large truck wheel nuts.

3/4" Drive Truck Extensions:

LT1600O - 175 Ft/Lbs., LT1600N - 250 Ft/Lbs.,
LT1600U - 350 Ft/Lbs., LT1600M - 475 Ft/Lbs.,

1" Drive Truck Extensions:

LT1600T - 175 Ft/Lbs., LT1600R - 250 Ft/Lbs.,
LT1600S - 350 Ft/Lbs., LT1600B - 400 Ft/Lbs.,
LT1600P - 475 Ft/Lbs., LT1600Y - 550 Ft/Lbs.,
LT1600W - 650 Ft/Lbs.



TWIST SOCKETS

Twist Sockets have a fluted design which give the sockets a tight grip to remove the most difficult fasteners. Simply place the twist socket on and twist the damaged fastener off - it's that easy. No more pounding, chisels or torches. Safe and fast removal of damaged fasteners and easy removal of the fastener from the twist socket. Available in 3/8" & 1/2" drive sizes.



6 flute



12 flute

3/8" Drive

LT 4500, LT 4501 3/8" Drive 9 Piece Twist Socket Fastener Removal Systems

This kit easily removes damaged nuts, studs, pipe nipples and bolts. Available mounted on a 3/8" rail (LT 4500) or a custom molded case (LT 4501).



LT 4510	10mm	LT 4513	13mm
LT 4511	11mm, 7/16"	LT 4514	14mm
LT 4512	12mm	LT 4515	15mm



LT 4600 3/8" Drive 13 Piece Twist Socket Fastener Removal System

This kit easily removes damaged nuts, studs, pipe nipples and bolts. Comes mounted on a 3/8" rail, individually packaged.



LT 4510	10mm	LT 4515	15mm	LT 4620	3/8"
LT 4511	11mm, 7/16"	LT 4516	16mm, 5/8"	LT 4621	1/2"
LT 4512	12mm	LT 4517	17mm	LT 4622	9/16"
LT 4513	13mm	LT 4519	19mm, 3/4"	LT 4623	11/16"
LT 4514	14mm				

LT 4516	16mm, 5/8"
LT 4517	17mm
LT 4519	19mm, 3/4"

LT 4700 3/8" Drive DEEP WELL 13 Piece Twist Socket Damaged Fastener Removal System

This kit easily removes damaged nuts, studs, pipe nipples and bolts. Ideal for times when a deep well socket is needed. Comes mounted on a 3/8" rail, individually packaged.



LT 4510-D	10mm	LT 4515-D	15mm	LT 4620-D	3/8"
LT 4511-D	11mm, 7/16"	LT 4516-D	16mm, 5/8"	LT 4621-D	1/2"
LT 4512-D	12mm	LT 4517-D	17mm	LT 4622-D	9/16"
LT 4513-D	13mm	LT 4519-D	19mm, 3/4"	LT 4623-D	11/16"
LT 4514-D	14mm				

3/8" Drive

LT 4800 3/8" Drive 7 Piece Twist Socket Oil Drain Plug Removal System

This system easily removes the most commonly used damaged oil drain plugs. Comes mounted on a 3/8" rail, individually packaged.

LT 4513	13mm
LT 4515	15mm
LT 4516	16mm, 5/8"
LT 4517	17mm
LT 4519	19mm, 3/4"
LT 4622	9/16"
LT 4822	22mm



LT 4850 3/8" Drive 3 Piece Twist Socket Transmission Drain Plug Removal System

This system easily removes the most commonly used damaged transmission pan bolts. Comes mounted on a 3/8" rail, individually packaged.

LT 4510	10mm
LT 4621	1/2"
LT 4851	8mm



1/2" Drive

LT 4400 1/2" Drive 6 Piece Twist Socket Removal Kit

This kit easily removes damaged nuts, studs, pipe nipples and bolts. Comes mounted on a 1/2" rail, individually packaged.

LT 4400-30	19mm, 3/4"
LT 4400-35	13/16"
LT 4400-40	7/8"
LT 4400-45	15/16"
LT 4400-50	1"
LT-400-7	Extractor Punch



LT 4240 1/2" Drive 5 Pc. Locking Lugnut Twist Socket Removal Kit

Removes locked or damaged lugnuts without a key. Now 4 sizes for maximum coverage. Lugnuts are usually reusable. Works with a breaker bar or other related tool. Comes mounted on a 1/2" rail, individually packaged.



LT 4400-30	19mm, 3/4"
LT 4400-35	13/16"
LT 4400-50	1"
LT 4400-70	1 3/16"
LT-400-7	Extractor Punch

LT 4300 3 Piece Twist Socket Lugnut Removal System

The LT 4300 3 piece Twist Socket Lugnut Removal System is for the removal of DAMAGED/ROUNDED 3/4" & 19mm, 13/16", and 21mm lugnuts (LT4200A) and the majority of OEM and after market LOCKING LUGNUTS (LT400-25). These sockets are dual sided. Works with a breaker bar or other related tool. Includes an extractor punch.



LT400-27 7/8" - 1" 6 Fluted Twist Socket LT400-29 7/8" - 1" 12 Fluted Twist Socket

These 6 & 12 fluted twist sockets easily remove 7/8" and 1" damaged OEM & locking aftermarket lugnuts. Works with a breaker bar or other related tool.



LT4200A Dual Sided Twist Socket Lugnut Remover

The Dual Sided Twist Socket Lugnut Remover is for the removal of damaged/rounded 3/4" & 19mm, 13/16", and 21mm lugnuts because of unsuccessful removal, rust or other damage. Works with a breaker bar or other related tool.

LT400-17 Dual Sided Twist Socket Lugnut Remover

NEW PRODUCT

The Dual Sided Twist Socket Remover is for the removal of DAMAGED/ROUNDED 17mm lugnuts and OEM and after market LOCKING LUGNUTS. Works with a breaker bar or other related tool.

LT400-25 Dual Sided Twist Socket Locking Lugnut Remover

The Dual Sided Twist Socket Lugnut Remover is for the removal of 3/4" & 19mm, 13/16", and 21mm OEM and after market locking lugnuts. Works with a breaker bar or other related tool.

LT-125 Easy Access Door Unlocking Kit

The LT-125 easily opens most vehicles on the road today without entering the door panel. This kit includes a 54" fluorescent green Easy Access Door Unlocking Tool, two Plastic Door Wedges (LT271), Plastic Slip Jim (LT-100). Comes packaged in a custom kraft cardboard box.



LT135 2 Piece Easy Access Kit

The **NEW GREEN** LT135 is a 2 piece Easy Access Tool that collapses for easy storage. It is 53" long with a rigid design for easy through the window reach. Allows you to open the vehicle with the door handle, lock button, or electric lock switch. Comes in a heavy duty bag. This kit also includes Plastic Slip Jim (LT-100) and two Plastic Door Wedges (LT271).




LT145 Super Multi-Purpose Easy Access & Inflate-A-Wedge™ Kit

The **NEW GREEN** LT145 is a 4 piece Easy Access Tool that collapses for easy storage. This tool screws together **WITHOUT A COUPLER** for easier access. Now includes a middle extension piece (135-3D-1) to go across the car for long reach applications. Also includes a shorter tip (135-3C) for easier use with lock buttons. 135-3B and 135-3C now come with **GLOW-IN-THE-DARK TIPS**. Rigid design for easy through-the-window reach. This kit also includes Plastic Slip Jim (LT-100), two Plastic Door Wedges (LT271) and Inflate-A-Wedge™ (LT275).



LT-130 Easy Access Door Unlocking System

The LT-130 easily opens most vehicles on the road today without entering the door panel. This kit includes a 54" fluorescent green Easy Access Door Unlocking Tool, two Plastic Door Wedges (LT271), Plastic Slip Jim (LT-100) and Inflate-A-Wedge™ (LT275). Comes packaged in a custom kraft cardboard box.



LT140 2 Piece Easy Access & Inflate-A-Wedge™ Kit

The **NEW GREEN** LT140 is a 2 piece Easy Access Tool that collapses for easy storage. It is 53" long with a rigid design for easy through the window reach. Allows you to open the vehicle with the door handle, lock button, or electric lock switch. Comes in a heavy duty vinyl bag. This kit also includes Plastic Slip Jim (LT-100), two Plastic Door Wedges (LT271) and Inflate-A-Wedge™ (LT275).



LT-260 6' Super Jimmy & Inflate-A-Wedge™ Kit

This kit combines the Inflate-A-Wedge™ with the 6' Super Jimmy for safe and quick opening of locked vehicle doors. NOW includes the Plastic Slip Jim LT-100.



LT-270 6' Super Jimmy Kit

The Super Jimmy allows you to open the vehicle with the door handle, lock button or the electric lock switch. OPENS MOST VEHICLES. No disconnection of linkage or airbag activation problems. Comes with 2 plastic wedges (LT271) for safe easy use. The Super Jimmy easily bends to fit every vehicle design and breaks down for easy storage. NOW includes the Plastic Slip Jim LT-100.



LT275 Inflate-A-Wedge™

The unique Inflate-A-Wedge™ allows you to safely separate the door frame from the vehicle body to insert a tool and unlock a vehicle.



LT271 Plastic Door Wedge

Safely separates the door panel from the vehicle window.



LT276 Self Locking Door Wedge

The washboard design surface of tool self locks in door. Will not slide out of door during unlocking. Great when inserting inflatable air wedges. Extra wide for extra leverage. Use it with or without on air wedge. Great for window regulator installation. Holds glass steady against window rubber stripping. Patent Pending.

**NEW
PRODUCT**



LT-25 Flexible Flashlight

Shines where other lights can't! Flexible wire holds the shape you give it. Focused high intensity bulb (only 1/4" in diameter) fits in the tight spots. Batteries not included.



LOCKOUT PICKS

LT-290 European & Asian Rocker Lock Pick Set

A six piece set of rocker picks designed for European and Japanese vehicles. Not for use on transponder based anti-theft ignition systems.



LT-310 Chrysler Automotive Rocker Lock Pick Set

A six piece pick set will open door & trunk locks and start Chrysler vehicles from 1969-1999, including tilt columns. Not for use with the Smart Key anti-theft ignition systems.



LT-300 Ford Automotive Rocker Lock Pick Set

A five piece pick set opens door and trunk locks of Ford, Lincoln and Mercury cars, vans & trucks for model years 1969-1999. To start ignitions with 10-cut locks (1984 1/2 - 1996) see the LT-78 on page 10. Not for use on transponder based passive anti-theft systems.



LT-320 European & Asian Automotive Lock Pick Set

A six piece set designed for foreign wafer locks found most Japanese and Europe vehicles. Includes Harpoor pick to remove broken key from auto locks. Not for use on transponder based anti theft ignition systems.



LT-620 Grand Master Lock Pick Set

The ultimate pick set containing 35 picks, including the LT-280, LT-290, LT-300, LT-310, LT-320, as well as the LT-330 tension wrench and LT-106 gas cap pick tool packaged in a custom leatherette case.



LT-340 Master Lock Pick Set

A complete pick set containing 17 picks, including the LT-300, LT-310, LT-320, as well as the LT-330 tension wrench and LT-106 gas cap pick tool packaged in a custom leatherette case.



LT-340A AutoMaster Super Lock Pick Set

A complete master pick set containing 23 picks, including the LT-290, LT-300, LT-310, LT-320, as well as the LT-330 tension wrench and LT-106 gas cap pick tool packaged in a custom leatherette case.



LT-280 GM Rocker Lock Pick Set

The GM Rocker Lock Pick Set consists of twelve double ended, single sided rocker picks. This creates 24 combinations covering the one-thousand plus possible key cut configurations for GM side bar locks. The LT-280 will work on many GM steering column, trunk and door locks. Not for use with 10-cut ignitions or ignition systems equipped with PassKey.



MISCELLANEOUS

LT-635 Rack Saddle

The LT-635 is all steel construction. **ADJUSTABLE MOUNT ATTACHES TO ANY LIFT.** Parts box, tool tray, impact gun holder in one compact design. A must have for under vehicle lift rack work. Portable tool box you can move from lift rack to lift rack. US Patent No. 6,837,383.



LT-840 Air Hammer Wrench Driver

Use your air hammer to drive your wrenches in difficult and hard to reach areas. Long reach - 19 1/2". Fits any wrench. Use on crank pulley bolts, fan clutches, and Any inaccessible bolt or fastener. Patent Pending.



NEW PRODUCT



wrench & air hammer not included

LT-78 Ford "Sure-Shot" By-Pass Key

This tool will start Ford 10-cut key vehicles, (1984 1/2 -1996 cars, trucks and vans) without damage to the vehicle or its steering column. The LT-78 also allows you to change the steering column lock without steering wheel or column tear down. Additional individual key guides are available. (LT-78K).



LT-720 Radiator Drain Plug Remover

Removes most GM, Foreign and other domestic radiator drain plugs from plastic radiators. The LT-720 radiator drain plug remover easily does the job and can be used with a 1/4" extension.



LT-220 Convert-A-Chuck Kit

Convert your 3/8" and 1/4" air ratchet to an angle head drill. Kit includes both the 3/8" (LT-205) and the 1/4" (LT-210) Jacobs Chucks, chuck key (LT-215) and a cordless screwdriver adapter (LT-217). Uses include: drilling, tapping, hole sawing, and stud removal in tight areas. Also available individually.



LT-70 GM Magnum Force Tool

Quickly starts most 1978-1991 GM vehicles.



LT 4125 Universal 1/2" - 3/8" Swivel Impact Socket

1/2" drive end with 3/8" work end. Gives you an extra 1/8" reach when needed most.



NEW PRODUCT

LT598 Shockit Socket

Shock loose frozen nuts and bolts, Ideal for hard to reach situations. Custom design, punch/chisel included. Custom punch delivers 100% of shock force to the nut/bolt head. Magnetic socket storage rail included. Includes 5 popular sizes -



NEW PRODUCT



LT740 Funnel Lok™

The Funnel Lok™ hands-free funnel holder is a simple, yet revolutionary tool designed to hold any standard-size funnel firmly in place--making it easy to transfer gasoline, oil, coolant, or any other fluids and powders without slipping or spilling. Provides a stable "third hand". Shaped like a pair of pliers with spring torque action, the Funnel Lok™ features four stabilizing prongs that can be inserted into any container or tank opening from 1 1/4" to 2 1/4" in size. Once the prongs are inside, the user simply releases the tool. This creates a steady base for the funnel to be held securely in place by the adjustable rings. Is an indispensable tool for the home, professional garage or factory. Made of durable ABS material. Allows the air to vent, which eliminates the risk of blow back. Users can also more easily monitor the rising fluid level inside the container or tank. It not only prevents spills of potentially hazardous chemicals, but its hands-free design allows containers to fully drain. Since the funnel is firmly held in place by the Funnel Lok™, the container can rest in the funnel hands-free until the last drop. With both hands free, consumers can also use two hands to pour bigger or larger, economy-size containers--saving money and packaging materials in the process.



LT-230 Magnetic Nut Holder

The LT-230 Magnetic Nut Holder has a flexible stainless steel body with pivoting magnetic head to reduce the risk of losing hard to reach nuts. Clips onto open and box end wrenches. The LT-230 Magnetic Nut Holder fits 3/8" - 3/4" and 10mm - 19mm wrenches. Also available in 12 pack display (LT-230-12).



LT1800 Offset Impact Driver Set

Offset 15° angle for greater access in tight areas. Recessed non-turning head well prevents driver slipping off stud or fastener. Extra-long extra heavy non-turning straight hammer won't rotate off stud. Great for strut work, hub work, front end, exhaust, spring and suspension repair. Comes packaged in a heavy duty roll-up cordura nylon storage bag. Patent Pending.

4 piece set includes:

410 - Offset Shaft Impact Driver



530 - Offset Shaft Impact Driver



725 - Offset Shaft Impact Driver



990 - Straight Shaft Impact Driver



OFFSET IMPACT DRIVER IN USE

NEW PRODUCT

LT865 Spark Plug Piston Lock


The LT865 is a must have tool when servicing timing belts and chains. This unique tool prevents the crankshaft from shifting when servicing belts and chains. Designed with a brass end to prevent damage to the piston. Replace one spark plug with the spark plug piston lock to lock up motor.



LT-910 Magnetic Impact Gun Holder

The LT-910 Magnetic Impact Gun Holder gives a secure place to hold your 1/2" and smaller impact gun. Use on a tool box or other flat ferrous steel surfaces anywhere in the shop. The tubular design mounts with a 160 pound magnetic force. Move it to where you need it - always handy.

impact gun not included



in use

LT265 Dual Sided Universal Oil Cap Removal Tool

Oil caps on Toyota, Nissan, Hyundai and many imports are made of plastic and are the most difficult to remove. Easily removes oil caps without damaging them. Slotted end fits Toyota and most single fin caps. Double prong side fits into slotted notched sides of Nissan caps. Use it every day checking and changing oil. Patent Pending.



DOUBLE PRONG SIDE IN USE

NEW PRODUCT

LT735 Chrysler/Dodge Minivan Universal Joint Steering Shaft Assembly Roll Pin Remover

Works on all Chrysler/Dodge minivans plus most other front wheel drive universal joint steering shaft assemblies connected with a roll pin. Works with air impact chisel. Magnetic tip aids in removal and insertion of roll pins. Machined from hardened tool steel for years of service. A must-have tool when doing Rack and Pinion Steering Gear work.



in use

LT991 Hollow End Line Taps

PROBLEM: A/C and hydraulic line fitting threads become corroded over time and are damaged in disconnect process requiring complete line removal to repair.

SOLUTION: Hollow end line taps rethread female fittings without line removal. Hollow end tap slides over flared end of line easily, rethreading female connector.

Use on A/C, Brakes, Oil, Trans and heater lines and coils.

NEW PRODUCT



8 piece kit covers all popular sizes:

14MM
16MM
18MM
20MM
22MM
24MM
27MM
1 1/8"



LT-860 Magnetic Rechargeable Screwdriver Holster

Holds two rechargeable screwdrivers. Conveniently store your rechargeable screwdrivers near work area at all times. Securely mounts to any metal surface. Holds up to two of any popular rechargeable screwdrivers. Readily access your rechargeable screwdrivers at any time.

NEW PRODUCT



LT-870 Magnetic Air Hose Holder

Holds 3/8" - 1/2" shop air hose. Attaches to any metal surface close to work area. No more air hoses on floor for car to run over. No more searching and reaching for air hose. Great aid for retractable air hoses.

NEW PRODUCT



LT875 Impact Screwdriver Socket Holder

The LT875 is ideal for use with impact hammers. No more bruised hands and fingers. Great for use in tight quarters where there is no room for hammers. Fits most impact screwdrivers.



LT998 Hose Clamp

PROBLEM: Most mechanics have hose clamp removal tools. However, they don't work if they can't reach the compression tips of the hose clamp. This occurs often when the clamp is put on erratically at the factory or by another mechanic.

NEW HANDLE

SOLUTION: Our hose clamp pliers reach around the hose to encapsulate the clamp compression tips. Our tool allows the mechanic to easily rotate the clamp to a position where he can now use his clamp removal tool or remove clamp using our tool.



LT730 Subaru Axle Pin Removal Tool

The LT730 removes and installs roll pins for easy axle removal. This tool has a magnetized tip to help the roll pin from falling into hidden access areas around axle. The magnetized tip holds new roll pin for easy alignment and insertion into new axle. Works on all AWD Subaru trans-axle assemblies.



LT940 Gas Tank Fuel Pump Removal Tool

This tool removes plastic fuel pump retaining rings. Universal adjustable design fits most plastic retaining rings. **Increased length of ears and slots in ears allow for wider application for more secure fit when grabbing teeth around fuel pump retaining rings.** Prevents damage to original retaining ring. Use with a 1/2" drive extension and ratchet. Use to re-install old retaining ring.



LT-525 Auto Groundskeeper

The LT-525 provides a good ground for test light and multimeter diagnostic use. Especially useful in the auto industry where testing is most difficult due to increased use of plastics. Universal design fits in any power plug. Even provides ground in dead power plugs. Manufactured from spring steel and injection molded plastic for lifetime trouble free operation. A must have tool for diagnosing today's automotive electrical problems quickly and safely. US Patent No. 7,238,058.



LT995 Timing Gear Pliers

The LT995 will allow mechanic to turn timing gear when timing belt adjustment is needed. Aids in removal and replacement of timing gears and serpentine belt pulleys. Includes 6 sets of interchangeable composite inserts which safely grip timing gear teeth. **Each composite insert now mounts and swivels on 2 pins located on the head of wrench for a secure fit and greater grip.** Performs timing gear removal by preventing rotation of timing gear sprocket while retaining nut or bolt are removed. Prevents camshaft rotation during timing gear removal eliminating valve/piston interference and subsequent damage. Securely grips all serpentine belt pulleys. US Patent No. 7,077,036B1.



LT868 Tapered Plug Stoppers

The LT868 plug empty spark plug holes with extra long handles for overhead cam engines. Helps prevent foreign debris from entering piston combustion chamber. Helps prevent costly engine tear down. Also use to plug AC and oil lines. 8 plugs included.



PAINT & BODY

LT-800 Inflatable Dent Remover - 2 pieces

The LT-800 Inflatable Dent Remover uses hand pumped air pressure to push dents out from the inside of door and fender panels. Comes in 2 sizes: The LT-805 (8" x 8" Square Inflatable Dent Remover) is for removing dents in tight corners or along welded seams and panel edges. The LT-810 (14" x 8" Oblong Inflatable Dent Remover) is for longer more accessible large dents. Each bag has 5 feet of air hose with oversize hand pump bulb for long reach. Perfect for paintless auto body repair. Universal applications for all automotive and truck door and body panel repair. Eliminate high points caused by body slide hammers and picks. Pushes dents out to their normal shape eliminating excessive bondo and sanding work. A real material and time saver.



LT-850 Magnetic Paint Stand For Small Parts, "Painter's Helper"

The LT-850 "Painter's Helper" eliminates spraying small parts by hanging them on hooks from the ceiling or mounting them on milk crates, resulting in poor spray angles, paint runs, blind spots, and spinning. The "Painter's Helper" solves these common problems by securing the small parts on a 12" pedestal with 160 pounds of magnetic force. The "Painter's Helper" firmly holds mirrors, door handles, small trim parts, gas cap doors, steering column parts and motorcycle parts the way you want them on any metal surface for easy painting.




LT-900 Magnetic Spray Gun Holder

The LT-900 Magnetic Spray Gun Holder will hold any cup or gravity fed spray gun without creating holes in your spray booth. The tubular design mounts to any flat steel surface with a 160 lb. magnetic force. The LT-900 is totally portable - hang it anywhere, move it any time and keep your spray booth brand new and hole free. Not just for spray booths. The LT-900 is an all purpose magnetic holder for use on your tool box or anywhere else in the shop.



LT-700 Lock Reforming Tool

Fits GM, Ford, Chrysler and most foreign cars. This tool instantly reforms damaged lock openings to their original contours.



LT-250 Wet Sanding Block System

The LT-250 eliminates water buckets and hoses when wet sanding vehicles at your body shop. Utilizes 25 feet of plastic hose and has its own water regulator valve to control water flow. Fast, easy clean-up reduces mess on or around the vehicle. Hooks up to any standard water faucet or spigot.



LT820 Paintless Dent Remover System

Affordable - a fraction of the price of current PDR sets. Easy to master – training DVD included. Stainless steel solid rod construction with EDM lockable swivel tips. A breakthrough in PDR technology. Thirteen interchangeable stainless and plastic tips - swivel head action. Replaces hundred plus obsolete PDR tools. Magnetic reflector board included. Add PDR profit center to any automotive repair center. You don't have to be an auto body man to do PDR. **See it work on our web site.** US Patent No. 6,543,270.



LT790 Shape Tip™ Tool

The LT790 is designed to fit securely on most pry bars. Use to roll out high spots, creases and crowns around dents. Accurately roll and massage out dents and distortions without leaving tool marks. Excellent for use with today's thin alloy metal. Great for applying tape seam sealer. Repair bumpers, glue upholstery and patch tires. Patent pending.



**LTI TOOLS HAS AN AWARDS AND ROYALTY PROGRAM FOR YOUR NEW HAND TOOL IDEAS.
WE OFFER YOU INTERNATIONAL DISTRIBUTION.
IF YOU HAVE A NEW PRODUCT IDEA, PLEASE CONTACT US.**



LOCK TECHNOLOGY, INC.
552 S. Washington Street, Suite 108
Naperville, Illinois 60540